

Select a template:

Veeam Backup and Replication by HTTP

Create or select a host

A few more steps



Some templates (21) are incompatible with the Host Wizard. See [how to update them](#). Custom templates are not supported.

# Select a template

A template is a set of predefined configurations (metrics to be collected, conditions for generating alerts, etc.) designed for your monitoring target.

Veeam Backup and Replication by HTTP

Type a keyword to search for templates.

Data collection 

Agent mode 

All

Agent-based

Agentless

All

Active

Passive

## Templates

Software (1)

Veeam Backup and Replication by HTTP

Tags

class: software

target: veeam

subclass: backup

 [Show more](#)

Select a template:

Veeam Backup and Replication by HTTP

Create or select a host:

Veeam Backup and Replication

A few more steps

## Create or select a host

The template you selected (Veeam Backup and Replication by HTTP) must be linked to a host - an entity in Zabbix that represents your monitoring target.

Hosts are organized into host groups for easier management and access control.

\* Host name

Veeam Backup and Replication X

Select

Start typing or click Select to choose an existing host, or enter a new host name.

Host groups

Integrations X

Select

type here to search

Start typing or click Select to choose existing host groups, or enter a new host group name.

Specifying new or existing host groups will add the host to these groups without removing it from any current groups.

Cancel

Back

Next

Select a template:

Veeam Backup and Replication by HTTP

Create or select a host:

Veeam Backup and Replication

Configure host

## Configure host (1/2)

The template you selected (Veeam Backup and Replication by HTTP) requires additional configuration.

### Overview

This template is designed to monitor Veeam Backup and Replication. It works without any external scripts and uses the script item.

**NOTE:** The native Veeam Backup & Replication REST API (port 9419) is available only in editions that include REST API functionality.

Supported editions include:

Veeam Universal License (VUL) editions:

- Foundation
- Advanced
- Premium

Socket-based editions:

- Enterprise
- Enterprise Plus

Community Edition

- Supported with workload limitations defined by Veeam licensing.

See [Veeam Data Platform Feature Comparison](#) for more details.

### Setup

1. Create a user to monitor the service or use an existing read-only account.

See [Veeam Help Center](#) for more details.

2. Link the template to a host.

3. Configure the following host wizard configuration fields: Address, Username, and Password.

Cancel

Back

Next

Select a template:  
Veeam Backup and Replication by HTTP

Create or select a host:  
Veeam Backup and Replication

Configure host

## Configure host (2/2)

To complete the setup, configure the following variables (host macros).

\* Address

https://192.168.13.123:9419 T v

\* API version

1.3-rev1 T v

\* Password

..... eye v

\* Username

..... eye v

Macro: {\$VEEAM.API.URL}

The Veeam API endpoint is a URL in the format <scheme>://<host>:<port>.

Macro: {\$VEEAM.API.VERSION}

The REST API revision.

Macro: {\$VEEAM.PASSWORD}

The password of the Veeam Backup and Replication account. It is used to obtain an access token.

Macro: {\$VEEAM.USER}

The username of the Veeam Backup and Replication account. It is used to obtain an access token.

Other

Filters

Thresholds

Cancel

Back

Next